Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	78	passcode.ab,clm. and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR ·	ON	2006/07/18 08:11
L2	0	passcode.ab,clm. and passkey and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 08:20
L3	233	server same first adj (user client subscriber person) same second adj (user client subscriber person) and (portable adj memeory cardID iDcard (id debit credit memory) adj card) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 08:23
L4	7	server same first adj (user client subscriber person) same authenticat\$3 and second adj (user client subscriber person) and first adj (user client subscriber person) same (portable adj memeory cardID iDcard (id debit credit memory) adj card) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 08:27
L5	1 	server same first adj (user client subscriber person) same authenticat\$3 and second adj (user client subscriber person) same first adj (user client subscriber person) near3 (data protfile information pass\$4) same (portable adj memeory cardID iDcard (id debit credit memory) adj card) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 08:39
L9	0	server with provid\$3 same first adj (user client subscriber person individual member) same authenticat\$3 same second and (data protfile information pass\$4 key credential) same (portable adj memory cardID iDcard (id debit credit memory) adj card) same (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 08:43

		LAST Scare		,		
L10	58	server with provid\$3 same (user client subscriber person individual member) same authenticat\$3 and (data protfile information pass\$4 key credential) same (portable adj memory cardID iDcard (id debit credit memory) adj card) and first with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 08:44
L11	6	server with provid\$3 same (user client subscriber person individual member) same authenticat\$3 and (data protfile information pass\$4 key credential) same (portable adj memory cardID iDcard (id debit credit memory) adj card) and first with communicat\$3 with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 08:56
L12	34	server with provid\$3 and first adj3 (user client subscriber person individual member) same authenticat\$3 same second and (data protfile information pass\$4 key credential) same (portable adj memory cardID iDcard (id debit credit memory) adj card) and first with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 08:58
L13	9	server with provid\$3 and first adj3 (user client subscriber person individual member) same authenticat\$3 same second and (data protfile information pass\$4 key credential) same (portable adj memory cardID iDcard (id debit credit memory) adj card) and first adj3 (user client subscriber person individual member)with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second adj3 (user client subscriber person individual member)and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 08:59

L14		(isp provider server distributor) and first adj3 (user client subscriber person individual member) same authenticat\$3 same second adj3 (user client subscriber person individual member)and (data profile information pass\$4 key credential) with (portable adj memory cardID iDcard (id debit credit memory) adj card) and first with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 09:09
-----	--	--	--------------------	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	10816	(smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader CD\$4) and first with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second and (server arbitrator provider isp) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 13:10
L3	307	(smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader CD\$4) same first with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second and (server arbitrator provider isp) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 13:11
L4	69	(smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader CD\$4) same first with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second ab,clm. and (server arbitrator provider isp) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 13:12
L5	66	(smartcard (portable removable) adj memory (memory flash) adj2 (card) card adj reader CD\$4) same first with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second.ab,clm. and (server arbitrator provider isp) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 13:21

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	10816	(smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader CD\$4) and first with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second and (server arbitrator provider isp) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 13:10
L3	307	(smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader CD\$4) same first with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second and (server arbitrator provider isp) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 13:11
L4 *	69	(smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader CD\$4) same first with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second.ab,clm. and (server arbitrator provider isp) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 13:12
L5	66	(smartcard (portable removable) adj memory (memory flash) adj2 (card) card adj reader CD\$4) same first with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second.ab,clm. and (server arbitrator provider isp) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 13:21
L6	5	(smartcard (portable removable) adj memory (memory flash) adj2 (card) card adj reader CD\$4) same first with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with authenticat\$3 with second.ab,clm. and (server arbitrator provider isp) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 13:24

	r			<del></del>		
L7	15	(smartcard (portable removable) adj memory (memory flash) adj2 (card) card adj reader CD\$4) same first with (associate correspon\$4 accord\$4 based relationship depend\$4 determin\$4 match\$3 map\$4 compar\$5) with authenticat\$3 with second and (server arbitrator provider isp) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 13:26
L9	11782	(smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader) and (local first) with (connect\$3 link channel session communicat\$3) with (second remote) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 13:38
L10	2398	(smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader) and (local first) with (connect\$3 link channel session communicat\$3) with (associate correspon\$4 accord\$4 based relationship depend\$4 determin\$4 match\$3 map\$4 compar\$5) with (second remote) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 13:39
L11	150	(smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader) same (local first) with (connect\$3 link channel session communicat\$3) with (associate correspon\$4 accord\$4 based relationship depend\$4 determin\$4 match\$3 map\$4 compar\$5) with (second remote) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 13:43

L12		(smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader) same authenticat\$3 same (local first) with (connect\$3 link channel session communicat\$3) with (associate correspon\$4 accord\$4 based relationship depend\$4 determin\$4 match\$3 map\$4 compar\$5) with (second remote) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 13:45
-----	--	---	--------------------	----	----	------------------

S14 6	21	(isp provider server distributor) and first adj3 (user client subscriber person individual member) same authenticat\$3 same second adj3 (user client subscriber person individual member)and (data profile information pass\$4 key credential) with (portable adj memory cardID iDcard (id debit credit memory) adj card) and first with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 09:36
S14 7	113	(data profile information pass\$4 key credential) with (portable wireless mobile) and authenticat\$3 and first adj3 (user client subscriber person individual member) with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 09:38
S14 8		(data profile information pass\$4 key credential) with (portable wireless mobile) and authenticat\$3 and first adj3 (user client subscriber person individual member) with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second adj3 (user client subscriber person individual member) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 09:39
S14 9	23	(data profile information pass\$4 key credential) with (portable wireless mobile) same authenticat\$3 same (user client subscriber person individual member) and first adj3 (user client subscriber person individual member) with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second adj3 (user client subscriber person individual member) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 09:39

					,	
S15 0	0	(data profile information pass\$4 key credential) with (portable wireless mobile id) near(card memory) same authenticat\$3 same (user client subscriber person individual member)and first adj3 (user client subscriber person individual member) with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second adj3 (user client subscriber person individual member) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 09:40
S15 1	9	(data profile information pass\$4 key credential) with (portable wireless mobile id) near5 (card memory) same authenticat\$3 same (user client subscriber person individual member)and first adj3 (user client subscriber person individual member) with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second adj3 (user client subscriber person individual member) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 09:44
S15 2	9	(data profile information pass\$4 key credential) with (portable removable wireless mobile id) near5 (card memory) same authenticat\$3 same (user client subscriber person individual member)and first adj3 (user client subscriber person individual member) with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second adj3 (user client subscriber person individual member) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 10:06

			<del> </del>			
S15 3	14	(data profile information pass\$4 key credential) with (laptop pda palm portable removable wireless mobile id flash memory) near3 (card memory) same authenticat\$3 and first adj3 (user client subscriber person individual member) with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second adj3 (user client subscriber person individual member) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 09:58
S15 4	2	(portable removable wireless mobile id) near5 (card memory) same authenticat\$3 and first adj3 (user client subscriber person individual member) with communicat\$3 with(associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second adj3 (user client subscriber person individual member) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 10:32
S15 5		(smartcard (portable removable wireless mobile id) near5 (card memory)) and first adj3 (user client subscriber person individual member device computer terminal node) with communicat\$3 with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second adj3 (user client subscriber person individual member device computer terminal node) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 10:45
S15 6	157	(smartcard (portable removable wireless mobile id memory) adj2 (card memory)) and first adj3 (user client subscriber person individual member device computer terminal node) with communicat\$3 with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second adj3 (user client subscriber person individual member device computer terminal node) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 10:48

S15 7	9	(smartcard (portable removable wireless mobile id memory) adj2 (card memory)) same first adj3 (user client subscriber person individual member device computer terminal node) with communicat\$3 with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second adj3 (user client subscriber person individual member device computer terminal node) and (@ad<"20001218"	US-PGPUB; USPAT	OR	ON	2006/07/18 10:50
S15 8	4	@rlad<"20001218")  (smartcard (portable removable wireless mobile id memory) adj2	US-PGPUB; USPAT	OR	ON	2006/07/18 10:52
0		(card memory)) same first adj3 (user client subscriber person individual member device computer terminal node) with communicat\$3 with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second adj3 (user client subscriber person individual member device computer terminal node) and (server arbitrator provider isp) and (@ad<"20001218")	USFAI			
S15 9	101	(smartcard (portable removable wireless mobile id memory) adj2 (card memory)) and first adj3 (user client subscriber person individual member device computer terminal node) with communicat\$3 with (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second adj3 (user client subscriber person individual member device computer terminal node) and (server arbitrator provider isp) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 10:59

S16 0	-	(smartcard (portable removable wireless mobile id memory flash) adj2 (card) card adj reader) and first adj3 (user client subscriber person individual member device computer terminal node) with (connect\$3 link channel session communicat\$3) near5 (associate correspon\$4 accord\$4 based relationship match\$3 map\$4) with second and (server arbitrator provider isp) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 11:11
S16 1	49	(smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader) and first adj3 (user client subscriber person individual member device computer terminal node) with (connect\$3 link channel session communicat\$3) near5 (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second and (server arbitrator provider isp) and (@ad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 13:08
S16 2	228	(smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader) and first with (connect\$3 link channel session communicat\$3) near5 (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second and (server arbitrator provider isp) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 11:18
S16 3	88	first with (connect\$3 link channel session communicat\$3) near5 (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second and (server arbitrator provider isp).ab,clm. and (smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 11:19

S16 4	138	first with (connect\$3 link channel session communicat\$3) near5 (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second.ab,clm. and (server arbitrator provider isp) and (smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 11:20
S16 5	37	first with (connect\$3 link channel session communicat\$3) near5 (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second.ab,clm. and (server arbitrator provider isp) same authenticat\$3 and (smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 11:24
S16 7	7	first adj3 (user client subscriber person individual member) same (connect\$3 link channel session communicat\$3) near5 (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second adj3 (user client subscriber person individual member) and (server arbitrator provider isp) same authenticat\$3 and (smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 11:28

S16 8	7	first adj3 (user client subscriber person individual member) same (connect\$3 link channel session communicat\$3) near5 (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second adj3 (user	US-PGPUB; USPAT	OR	ON	2006/07/18 11:37
		client subscriber person individual member) and (server arbitrator provider isp) and authenticat\$3 and (smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader) and (@ad<"20001218" @rlad<"20001218")				
S16 9	16	first adj3 (user client subscriber person individual member) same (connect\$3 link channel session communicat\$3) near5 (associate correspon\$4 accord\$4 based relationship match\$3 map\$4 compar\$5) with second adj3 (user client subscriber person individual member) and (smartcard (portable removable) adj memory (wireless mobile id memory flash) adj2 (card) card adj reader) and (@ad<"20001218" @rlad<"20001218")	US-PGPUB; USPAT	OR	ON	2006/07/18 11:38